

KISMAT

PERFORATION

Mfg. of

- Cable Trays - Perforated & Ladder Type.
- Perforated Metals.
- All GI Earthling Accessories.
- Lighting Poles.

About Us

Over 25 years have passed since Kismat Group of Company, first started its manufacturing business in Rajkot, Gujarat, INDIA name as - Kismat Engineering Works is one of the leading manufacturing companies of street lighting poles mainly - Octagonal Poles, Conical Round Poles, Highmast Poles among many others which represents unparalleled quality and professionalism. We are one of the leading suppliers of steel poles in both governmental and nongovernmental organization since 1991.

Committed to contribute and share its expertise to the fast growing industrial sector. In 2015, Kismat Group of Company Start its new manufacturing Unit name as "Kismat Perforation" - Manufacturer of quality cable management systems, as fabricator of High Quality Perforated & Ladders Type Cable Trays & its accessories, Cable trucking, Perforated Metals, All type of Hot Dip Earthing Materials and so on, Kismat Perforation is proud of its exacting engineered products designs which are used in support in cables, pipes and instrumentation equipment for industrial, commercial, civil, architectural, utility and telecommunication installations.



Perforated Cable Trays



45° External Riser



90° External Riser



Horizontal Cross




Horizontal Tee



45° Internal Riser




45° Internal Riser




90° Horizontal Bend




45° Horizontal Bend



ladder cable trays



Right Hand Reducer



Horizontal Tee



Inside Riser



90° Horizontal Bend




Horizontal Cross



Outside Riser Inner



Left Hand Reducer



45° Horizontal Bend

PERFORATED TRAYS AND ACCESSORIES :

Perforated type cable trays and accessories in various thickness of 1.2mm, 1.5mm, 2.0mm and above in width 25mm to 1000mm and height 25mm to 100mm in standard length of 2.4m (aluminum)/2.5m/3.0m are available in various material of construction like M.S, S.S and Aluminum


LADDER TRAYS AND ACCESSORIES :

Ladder type cable trays and accessories in various thickness of 1.5mm, 2.00mm and above in 150mm to 900mm and length of 2.4m(aluminum) /2.5m/ 3.0m are available

**Standard Cable Tray :
PERFORATED TYPE**


Straight Length

Ref No. KP 101



W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5
600	25/50	2/2.5


Wide Range of size is available



90° Bend

Ref No. KP 102


W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5



45° Bend


Ref No. KP 103

W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5




90° Inner Riser Ref No. KP 104

W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5
600	25/50	2/2.5



90° External Riser Ref No. KP 105

W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5
600	25/50	2/2.5




45° Inner Bend Ref No. KP 106

W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5




45° Inner Bend Ref No. KP 107

W (MM)	H (MM)	T (MM)
50	25/50	1.6/2
75	25/50	1.6/2
100	25/50	1.6/2
150	25/50	1.6/2
200	25/50	2/2.5
300	25/50	2/2.5
400	25/50	2/2.5
500	25/50	2/2.5



Tee

Ref No. KP 108




Cross

Ref No. KP 109

W (MM)	H (MM)	L (MM)	D (MM)	T (MM)
50	25/50	356	203	1.6/2
75	25/50	381	228	1.6/2
100	25/50	406	253	1.6/2
150	25/50	456	303	1.6/2
200	25/50	506	353	2/2.5
300	25/50	606	453	2/2.5
400	25/50	706	553	2/2.5
500	25/50	806	653	2/2.5
600	25/50	906	753	2/2.5


W (MM)	H (MM)	L (MM)	T (MM)
50	25/50	350	1.6/2
75	25/50	375	1.6/2
100	25/50	400	1.6/2
150	25/50	450	1.6/2
200	25/50	500	2/2.5
300	25/50	600	2/2.5
400	25/50	700	2/2.5
500	25/50	800	2/2.5
600	25/50	900	2/2.5



LH/RH Reducer

Ref No. KP 110


W-1 (MM)	W-2 (MM)	T (MM)
50	75	1.6/2
75	100	1.6/2
100	150	1.6/2
150	200	1.6/2
200	300	2/2.5
300	400	2/2.5
400	500	2/2.5
500	600	2/2.5
600	800	2/2.5



Central Reducer

Ref No. KP 111


W-1 (MM)	W-2 (MM)	T (MM)
50	75	1.6/2
75	100	1.6/2
100	150	1.6/2
150	200	1.6/2
200	300	2/2.5
300	400	2/2.5
400	500	2/2.5
500	600	2/2.5
600	800	2/2.5



Reduce Plate

Ref No. KP 112


W (MM)
100
200
300



Coupler / Straight Joint Plate

Ref No. KP 113

W (MM)	L (MM)	T (MM)
52	210	1.6
77	210	1.6
102	210	1.6



Partition Plate

Ref No. KP 114

W (MM)
25
50
75
100

Vertical Adjustable Joint Plate

Ref No. KP 115

W (MM)	L (MM)	T (MM)
52	400	1.6
77	400	1.6
102	400	1.6

Splice Plate


Ref No. KP 116



W (MM)	H (MM)	T (MM)
52	270	1.6
77	270	1.6
102	270	1.6

Hold Down Clamp


Ref No. KP 117



W (MM)	T (MM)
52	1.6
77	1.6
102	1.6

Support Bracket

Ref No. KP 118




W (MM)	T (MM)	A (MM)	H (MM)
200	2.3	300	125
300	2.3	400	125
400	3	500	150
600	3	700	150
700	3	800	150


Standard Cable Tray : LADDER TYPE

Straight Length

Ref No. KP 201




W (MM)	T (MM)	H (MM)
150	2/2.5	50/75
200	2/2.5	50/75
300	2/2.5	50/75
400	2/2.5	50/75
600	2/2.5	50/75/100
750	2/2.5	50/75/100
900	2.5/3	50/75/100



90° & 45° Horizontal Bend


Ref No. KP 202

W (MM)	T (MM)
150	2/2.5
200	2/2.5
300	2/2.5
400	2/2.5
600	2/2.5
750	2/2.5
900	2.5/3




Vertical Inside Riser Ref No. KP 202

W (MM)	T (MM)
150	2/2.5
200	2/2.5
300	2/2.5
400	2/2.5
600	2/2.5
750	2/2.5
900	2.5/3




Vertical Outside Riser Ref No. KP 203

W (MM)	T (MM)
150	2/2.5
200	2/2.5
300	2/2.5
400	2/2.5
600	2/2.5
750	2/2.5
900	2.5/3




Horizontal Tee Ref No. KP 204

W (MM)	T (MM)	L (MM)
150	2/2.5	1050
200	2/2.5	1100
300	2/2.5	1200
400	2/2.5	1300
600	2/2.5	1500
750	2/2.5	1650
900	2.5/3	1800




Horizontal Cross Ref No. KP 205


W (MM)	T (MM)	L (MM)
150	2/2.5	1050
200	2/2.5	1100
300	2/2.5	1200
400	2/2.5	1300
600	2/2.5	1500
750	2/2.5	1650
900	2.5/3	1800



Straight Reducer




Left Hand Reducer



Right Hand Reducer

Straight Reducer Ref No. KP 206


W1 (MM)	W2 (MM)	T (MM)
150	200	2/2.5
200	300	2/2.5
300	400	2/2.5
400	450	2/2.5
450	500	2/2.5
500	600	2/2.5
600	700	2/2.5
750	800	2/2.5
800	900	2.5/3



Horizontal Adjustable Splice Plate

Ref No. KP 207

H (MM)	L (MM)
52/77/102	270



Vertical Adjustable Splice Plate

Ref No. KP 208

H (MM)	L (MM)
52/77/102	400



Reducer Plate

Ref No. KP 209


H (MM)	W (MM)
52/77/102	100
52/77/102	200
52/77/102	300



Coupler / Splice Plate

Ref No. KP 210

H (MM)	L (MM)
20/45/80	200/210




Cover

Ref No. KP 211

W (MM)	H (MM)	T (MM)
53	15	1.2/1.6
78	15	1.2/1.6
104	15	1.2/1.6
154	15	1.2/1.6
204	15	1.6/2
304	15	1.6/2
404	15	1.6/2
504	15	1.6/2
604	15	1.6/2

Flat & Dome Combined

Ref No. KP 212




Flat & Dome Combined

W (MM)	H (MM)	T (MM)
53	15	1.2/1.6
78	15	1.2/1.6
104	15	1.2/1.6
154	15	1.2/1.6
204	15	1.6/2
304	15	1.6/2
404	15	1.6/2
504	15	1.6/2
604	15	1.6/2


Dome Combined

Ref No. KP 213





W (MM)	H (MM)	T (MM)
53	25	1.2/1.6
78	25	1.2/1.6
104	25	1.2/1.6
154	25	1.2/1.6
204	25	1.6/2
304	25	1.6/2
404	25	1.6/2
504	25	1.6/2
604	25	1.6/2



**Standard Cable Tray :
SUPPORTING SYSTEM**




Single Channel



Bolt Fitting



Double Channel



Supporting Brackets


Ref No. KP 214

W (MM)	T (MM)	A (MM)	H(MM)
200	2.3	300	125
300	2.3	400	125
400	3	500	150
600	3	700	150
700	3	800	150

Hold Down Clamp Plate

Ref No. KP 215


H (MM)	W (MM)
27/52/77/102	45




Cantilever Bracket

Ref No. KP 216

L (MM)	W (MM)
300	150
350	200
450	300
600	400
750	600
900	750
1050	900




Square Washer
Ref No. KP 301




Two Hole Plate
Ref No. KP 302




Four Hole Plate
Ref No. KP 304




Three Hole Plate
Ref No. KP 303




Five Hole Plate
Ref No. KP 305




Three Hole Plate
Ref No. KP 306




T Bracket
Ref No. KP 307




Fishplate Joiner
Ref No. KP 308




L Bracket
Ref No. KP 309




Right Angle Bracket
Ref No. KP 310




Z Shaped Shallow Bracket
Ref No. KP 310




Z Shaped Deep Bracket
Ref No. KP 311



U Shaped Shallow Bracket
Ref No. KP 312




Z Shaped Bracket
Ref No. KP 313




Cable Trunking



Internal & External Riser




Horizontal Cross




Cable Ladder & Tray covers




Base Plate_Single Channel




90° Horizontal Bend



Horizontal Tee



Double Channel




45° Horizontal Bend




90° RISER




Horizontal Cross



Standard Connector



Horizontal Tee



Wrap Around Cover Clamp



90° Horizontal Bend



Cantilevers brackets




Cantilevers brackets_2




Regular Spring Nut



Cantilevers brackets_3



Single Channel





Flat Plate Fitting

PERFORATED METALS : Can be diamond, round, square, elliptical, countersunk, burred, lipped, specially shaped or slots that have round or square ends.

MATERIAL : In addition to Iron and steel , We perforate Aluminum, Brass, Bronze, Copper, Cloth, Zinc and Tin-plate as well as paper, Hardboard, Plastic, Rubber, Nickel, Stainless Steel, and Precious Metals.

FINISHES : Galvanised, Painted, Power Coated and various special finishes.

PRODUCT RANGE : Sheet Thickness from 0.15 mm upto 10 mm, Hole Dia From 0.5 mm upto 75 mm, Maximum Width Size Upto 1300 mm.



Earthing strip and Hot Dip GI Flat Bar:


Earthing strip mainly user in Tower Structure, Substation and all kind of industrial & residential electrical Earthing.

We have following sizes in stock.

25x3,25x6,32x6,40x6,50x6,50x8, 50x10,75x10(all sizes in mm)

Hot Dip GI Pipe, Angle, Channel, Grating and Bars :

All size of Pipe, Angle, channel, Grating and Bars are Available in stock.



KISMAT
PERFORATION

Plot no.: G-1812/2 Metoda GIDC (Lodhika) Rajkot - 360021, Gujrat.
Tel. 02827-287717, Mo.+91 9033903309,+91 9099052653
www.kismatengineering.com // info@kismatengineering.com